




ISO 9001:2008 CERTIFIED

LPG VALVES



MANUFACTURER & EXPORTERS OF HIGH PRESSURE
VALVES & OTHER ACCESSORIES

LPG CYLINDER VALVES



COMPANY PROFILE

Latif & Brother with the trade name of ALCO is hi-tech quality conscious company. The company was established in 1991. ALCO is the one of the largest manufacturer of gas cylinder valves in Pakistan. The company manufactures the high pressure gas Cylinder valves and accessories in various size and shapes. We manufacture valves and accessories according to international standards and customer requirements. The full range of ALCO valves and accessories is a perfect choice for any industrial installation, gas field, refinery, CNG, LPG gas cylinders, industrial gases and medical gas cylinders. We ensure highest standard of safety. Our products provide excellent performance and long listing.

The company is ISO 9001: 2008 Certified by SGS our CNG gas cylinder valve are approved by BVQI according to ISO 15500, LPG and Oxygen cylinder valves are tested and type approved by Intertek Testing Service (ITS) UK . LPG valves are tested from BAM Lab Germany according to EN standards and directive 99/36/EC approved for PI Mark (π 1798) ISCIR CERT Romania.

ALCO design engineers use CAD, CAM and CATIA systems to generate NC code for CNC machines in production hall. We hire the highly qualified and experienced engineer staff/team. We control the whole manufacturing process from raw material to finished product according to international standards with the help of internal and external testing labs.

Technology is our hallmark. We are committed to produce quality and standardized products. Our aim is total satisfaction of our customers. We have wide range of customized products according to standards.

Mission

ALCO will provide the timely delivery of products whose performance and appearance are in accordance with our tradition of high manufacturing standards, even beyond geographical and organizational boundaries.

Vision

Our corporate vision is for our brand to be the number one brand in the valves manufacturing business, worldwide.

CYLINDER VALVE

FOR LIQUEFIED PETROLEUM GAS (LPG)

SELF CLOSING VALVE WITH PRESSURE RELIEF VALVE

LP

01
02
03



Standard Specification:

Item Code	Working Pressure	Safety Release Pressure	Inlet Thread Connection	Quick Coupling Connection Diameter
LP-01	250 PSI	375 PSI	3/4" NGT/28.8 DIN 477	20mm
LP-02	250 PSI	375 PSI	3/4" NGT/28.8 DIN 477	21mm
LP-03	250 PSI	375 PSI	3/4" NGT/28.8 DIN 477	22mm

Notes: On the customers request technical evaluation is possible to create new variations.
When ordering please specify Item Code, Inlet and Outlet size.

CYLINDER VALVE

FOR LIQUEFIED PETROLEUM GAS (LPG)

SELF CLOSING VALVE

LP

04
05
06



Standard Specification:

Item Code	Working Pressure	Inlet Thread Connection	Quick Coupling Connection Diameter
LP-04	250 PSI	3/4" NGT/28.8 DIN 477	20mm
LP-05	250 PSI	3/4" NGT/28.8 DIN 477	21mm
LP-06	250 PSI	3/4" NGT/28.8 DIN 477	22mm

Notes: On the customers request technical evaluation is possible to create new variations.
When ordering please specify Item Code, Inlet and Outlet size.

CYLINDER VALVE

FOR LIQUEFIED PETROLEUM GAS (LPG)

CAMPING CYLINDER VALVE



LP

11

Standard Specification:

Item Code	Working Pressure	Safety Release Pressure	Inlet Thread Connection	Quick Coupling Connection Diameter
LP-11	250 PSI	375 PSI	17E/ W19.8 x 1/14 tap	G 5/8" BSP L.H

Notes: On the customers request technical evaluation is possible to create new variations. When ordering please specify Item Code, Inlet and Outlet size.

CYLINDER VALVE

FOR LIQUEFIED PETROLEUM GAS (LPG)

POL TYPE WITH HAND WHEEL.

LP 12



Standard Specification:

Item Code	Working Pressure	Safety Release Pressure	Inlet Thread Connection	Quick Coupling Connection Diameter
LP-12	250 PSI	375 PSI	3/4" NGT/28.8 DIN 477	G 5/8" BSP L.H

Notes: On the customers request technical evaluation is possible to create new variations. When ordering please specify Item Code, Inlet and Outlet size.

CYLINDER VALVE

FOR LIQUEFIED PETROLEUM GAS (LPG)

With Hand Wheel Type

Description:

The cylinder valve for liquefied petroleum gas (LPG) consist of a valve body, an operating mechanism with a hand wheel and a rotating lower spindle, a system for external sealing (two o-ring at the lower spindle), a system for internal sealing (lower spindle), a side connector for filling and distributing and a threaded stub for connection to the cylinder. They are partly equipped with a pressure relief device.

The valves are intended for gas cylinders with a valve protection device and with a testing pressure up to 30 bar.

LP 08



STANDARD SPECIFICATION:

- Inlet Size : 17E/ 25E
- Outlet : G12/ 21.8 X 1/14 Lh
- Pressure Relief Valve: 26 Bar
- Marking : Mark Pi 1798
- Packing: Sealed Bag 50 Pcs On One Carton
- Testing According To En 13153:2003 And En 13953:2007 (bam Lab Germany)

OPTIONS

- Inlet Size
- Outlet
- With Safety Or With Our Safety
- Out Let Cap

Notes: On the customers request technical evaluation is possible to create new variations.
When ordering please specify Item Code, Inlet and Outlet size.

CYLINDER VALVE

FOR LIQUEFIED PETROLEUM GAS (LPG)

With Hand Wheel Type

Description:

The cylinder valve for liquefied petroleum gas (LPG) consist of a valve body, an operating mechanism with a hand wheel and a rotating lower spindle, a system for external sealing (two o-ring at the lower spindle), a system for internal sealing (lower spindle), a side connector for filling and distributing and a threaded stub for connection to the cylinder.

The valves are intended for gas cylinders with a valve protection device and with a testing pressure up to 30 bar.

LP 09



STANDARD SPECIFICATION:

- Inlet Size : 17E/ 25E
- Outlet : G12/ 21.8 X 1/14 Lh
- Marking : Mark Pi 1798
- Packing: Sealed Bag 50 Pcs On One Carton
- Testing According To En 13153:2003 And En 13953:2007 (bam Lab Germany)

OPTIONS

- Inlet Size
- Outlet
- With Safety Or With Our Safety
- Out Let Cap

Notes: On the customers request technical evaluation is possible to create new variations.
When ordering please specify Item Code, Inlet and Outlet size.



LATIF & BROTHER

Plot No. 145-146-C, Small Industrial Estate No. 2,
Gujranwala-Pakistan. Tel: +92-55-4283805,4283898
Fax: +92-55-4283806, E-mail: info@alcovalves.com.pk
Web: www.alcovalves.com.pk